



2011 Evaluation Form Discovery Series DCP 16

AGE: 7-14 Years
INSEAM: 19"-26"

Discovery is the Mobility Device that started it all!
Today it's the bike that children and young adults want for its funky design, bright colors and great ride.
More than Freedom, Discovery lets individuals create their own *sense of cool*.



FREEDOM Concepts Inc.™

SMILES THAT LAST!

PRODUCT SIZE SPECIFICATIONS



DCP 16



DCP 16 WG

	DISCOVERY		
	DCP 16	DCP 16WG	16WGX
Rider Age (Years)	7-14	7-14	7-14
Rider Inseam	19"-26"	19"-26"	19"-31"
Max. Load (lbs)	150	150	150
Bike Weight (lbs)	50	50	50
Wheel Size	16"	16"	16"
Frame Height (without Seat)	26"	26"	26"
Total Length (*with Rear Steering add 12")	50"	50"	59"
Bike Width	29"	33"	37"

- Rear Steer Special Edition (RSSE) \$4028.00 (includes shaded items)
 - Candy Blue
 - Decal default DB1
 - 3" Bottom Bracket Position
 - 4" Crank Arm
 - 12" Handlebar Height
 - Adjustable Medium (M-w, 10.25" I) Foot Plates with Pulley System (Please supply foot tracing)
 - Easy Pedal Power
 - Bell
 - Child High Back (13"w x 18"H)
 - Child Seat Base
 - Chrome Fork
 - Direct Drive
 - Front Brake on Rear Steer
 - Fully Enclosed Chain Guard
 - Hoop Handlebars
 - Medium Chest Harness
 - Parking Brake
 - Pass Through-Frame
 - Rear Steering
 - Smooth Solid Tires - 16" Aluminum Rim
 - Standard Crank Bottom Bracket (6")
 - Multi-tool, Wrench & Pouch

Creating a *CYCLE* of mobility
1.800.661.9915 ◀ www.freedomconcepts.com






DCP 16

AGE: 7-14 Years

INSEAM: 19"-26"


RIDER INFORMATION		<input type="checkbox"/> Male	<input type="checkbox"/> Female
Rider's Name: _____			
Date of Birth: MONTH _____ /DAY _____ /YEAR _____			
Diagnosis: _____			
Weight: _____ LBS. _____ KGS.		Height: _____ INCHES _____ CM	
A. Seat Depth: _____ INCHES _____ CM			
B. Inseam: _____ INCHES _____ CM			
C. Back Height: _____ INCHES _____ CM			
D. Seat Width: _____ INCHES _____ CM			
THERAPIST'S Name: _____			
Phone: _____			
Fax: _____			
Email: _____			



FRAME CHOICE	
DCP 16	
DCP 16 WG (Wide Glide)	ADD
DCP 16 WGX (Wide Glide Extended)	ADD
Custom Frame	ADD
Removable Rear Platform* (required for Sun-Shade Canopy)	

REAR STEERING	
Rear Steering	
TOTAL	

E. Total Length: 50" WG: 50" WGX: 59" G. Width: 29" WG: 33" WGX: 37"
 F. Rear steering allows bike to be controlled from the rear, this adds 12" to the length of the model.
 H. Steering head tube unlocks/locks steering



COLOR CHOICE	
<input type="checkbox"/> Candy Blue	<input type="checkbox"/> Hot Rod Purple (STD)
<input type="checkbox"/> Amber-NEW!	<input type="checkbox"/> Black <input type="checkbox"/> Blue <input type="checkbox"/> Red <input type="checkbox"/> Yellow (N/C)
<input type="checkbox"/> Metallic Blue	<input type="checkbox"/> Pink
<input type="checkbox"/> Metallic Orange-NEW!	
<input type="checkbox"/> Grape	
Other Custom Color	
Sticker Type	
Please note extra delivery time for N/C & custom colors.	

PROPULSION	
Direct Drive	(STD)
Free Wheel	
Manual Free Wheel/ Direct Drive Reciprocator System	

PEDAL POWER	
Easy	
Average	(STD)
Challenging	



CRANK ARM LENGTHS - RANGE OF MOTION			
Shorter range is suitable for limited knee flexion.			
I. 2.5"		(N/C)	
J. 3"		(N/C)	
K. 3.5"		(N/C)	
L. 4"		(STD)	
M. 5"		(N/C)	(N/A)
N. Multi-Crank Length Adapter 4 7/8" Cranks			




BOTTOM BRACKET WIDTH	
O. Standard Crank 6" Wide	(STD)
Custom Crank _____ INCHES	

BOTTOM BRACKET POSITION	
<input type="checkbox"/> Standard (3") OR	
<input type="checkbox"/> Custom _____ INCHES _____ CM	
P. Position of bottom bracket in relation to the seat post.	

COMMENTS






WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS! **PAGE SUB-TOTAL**

WHEELS		
Q. 16" Aluminum	(STD)	
R. 16" Mega Spoke (While Supplies last)		
S. 16" ABS Plastic		
T. Spoke Covers (set of three)		
		
TIRES		
U. 16" Smooth Solid Tires (Aluminum Wheel only)	(STD)	
V. 16" Knobby		
16" Smooth		
FORK		
Chrome Fork	(STD)	
Suspension Fork	<input type="checkbox"/> Silver <input type="checkbox"/> Yellow	
BRAKE LEVER POSITION		
Front Brake (Please specify 1st lever position)	(STD)	
Parking Brake	(STD)	
Second Parking Brake		
Second Brake Lever*		
Optional Rear Band Brake (DCP 16WG/X only)*		
LEVER POSITIONING	1st LEVER (STD)	2nd LEVER*
Left Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Right Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Rear Assistance (T-bar)	<input type="checkbox"/>	<input type="checkbox"/>
Rear Steering Handle	<input type="checkbox"/>	<input type="checkbox"/>
PEDALS		
Measure Rider's Shoe: i) _____ INCHES _____ CM ii) _____ INCHES _____ CM OR TRACE OUTLINE OF RIDER'S SHOE ON A PIECE OF PAPER & SUBMIT w/ORDER.		
1. Basic Pedal with Velcro Strap	(STD)	
2. Mountain Style Pedal	(N/C)	
3. Mountain Style with Cage		
4. Neoprene Adjustable Footplate* <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL		
5. Molded ABS Footplate System* <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL		
6. Pulley System (FRONT: corrects plantar flexion)		
Pulley System (REAR: self-leveling pedals)-NEW!		
7. 0.25" Footplate Spacers Qty: _____/Pedal	(/UNIT)	
8. Abductor Leg Brace *requires #5 Molded ABS Footplate <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L	(/EA)	
Please specify <input type="checkbox"/> Left or <input type="checkbox"/> Right		
		
CHAIN GUARD		
Heavy Duty Steel Chain Guard	(STD)	
ABS Enclosed Chain Guard		

HANDLE BARS <input type="checkbox"/> Steering Locked <input type="checkbox"/> Steering Unlocked		
<input type="checkbox"/> X. High Rise	(N/C)	
<input type="checkbox"/> Y. Hoop	(STD)	
<input type="checkbox"/> Z. Wide	(N/C)	
<input type="checkbox"/> i. Bar End Extensions		
ii. Nameplate <input type="checkbox"/> Special Dedication <input type="checkbox"/> Company Logo		
		
SEAT BASE		
9. Child (12.5" width, 12.5" depth)	(STD)	
10. Child Narrow		
11. Adult Seat (16.75" width, 14" depth) (WG/WGX only)		
12. Adult Narrow (WG/WGX only)		
13. Add 2" Raised Pommel to seat selection above		
14. Custom (measurements)		
A. _____ inches _____ cm B. _____ inches _____ cm		
15. Hip Belt 1.5" wide	(N/C)	
16. Hip Belt, 2" wide	(STD)	
17. Neoprene Hip Stabilizer Belt		
		
BACK REST		
18. Child Low Back - (13" width, 7.5" height)	(STD)	
19. Child High Back - (13" width, 18" height)		
20. Adult Low Back - (17" width, 7.5" height)		
21. Adult High Back - (17" width, 18" height)		
22. Custom		
A. _____ INCHES _____ CM B. _____ INCHES _____ CM		
Chest Strap High Back only (STD)		
23. FCI Removable Head Rest		
24. FCI Adjustable Head Rest		
25. Custom - Custom Mount of Head Support Bracket (Template required)		
A. _____ INCHES _____ CM B. _____ INCHES _____ CM		
26. Lateral Support Bracket complete w/Track <input type="checkbox"/> S <input type="checkbox"/> L	(/EA)	
C. CHEST WIDTH _____ INCHES _____ CM D. SEAT to ARMPIT _____ INCHES _____ CM		
		
Simulated Sheepskin Seat Cover <input type="checkbox"/> Child <input type="checkbox"/> Adult i2i Neck & Headrest with Support Bracket NOTE: Please specify size as per brochure.		

WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS!

PAGE SUB-TOTAL

CHEST HARNESS		
<input type="checkbox"/> Neoprene Chest Harness - Medium		
<input type="checkbox"/> Neoprene Chest Harness - Large		
<input type="checkbox"/> Neoprene Chest Harness - Extra Large		
GLOVES		
<input type="checkbox"/> X Small <input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large		
Custom		
A. Measure width of palm _____ INCHES _____ CM		
B. Measure width of wrist _____ INCHES _____ CM		
C. Measure bend of wrist to top of middle finger _____ INCHES _____ CM		
Hand Tracing Required		
STATIONARY TRAINER		
<input type="checkbox"/> Indoor Stationary Trainer		
ABDUCTOR/ADDUCTION		
<input type="checkbox"/> 27. Abductor (Removable Leg Divider)		
<input type="checkbox"/> 28. Padded Leg Adduction Strap		
		
ACCESSORIES		
<input type="checkbox"/> Self Centering Spring <input type="checkbox"/> Locking Hand Brake (STD)		
<input type="checkbox"/> Safety Flag <input type="checkbox"/> Wheel Reflectors (STD)		
Animal Squeaky Horn (N/C)		
Multitool (sold separately \$16.00) (STD)		
Bell (STD)		
Tool Pouch (included on RRSE N/C)		
Waterbottle & Holder		
Tool Kit with Waterbottle Shaped Case		
Bike Covers		
Cane/Crutch Holder		
Oxygen Tank Holder (Specify Tank Size _____)		
Sun-Shade Canopy (Requires Rear Platform)		
Communication Tray		
Adjustable Rear Steer Extension Handle		
		Total - Page 3
		Total - Page 2
		Total - Page 1
		SUB-TOTAL
		Boxed (Some assembly required)
		Freight (crated)
		Residential Delivery
		Tax 1
		Tax 2
		Other
		TOTAL

CUSTOMER INFORMATION	
Dealer/Vendor:	_____
Contact Person:	_____
Address:	_____
City:	_____ Prov./State: _____
Postal/Zip Code:	_____ Ordered by: _____
Phone:	_____ Fax: _____
Email:	_____

ORDER INFORMATION	
Purchase Order:	_____
Order Date:	_____ Quote Date: _____
FCI Representative:	_____
Payment Terms:	_____
CREDIT CARD (CHECK ONE) <input type="checkbox"/> Visa <input type="checkbox"/> MasterCard Exp. Date:	_____
Card Number:	_____
Name On Card:	_____
Signature:	_____

SHIPPING INSTRUCTIONS	
Name:	_____
Address:	_____
City:	_____
Province/State:	_____
Postal/Zip Code:	_____ Phone: _____
Federal ID/SS#:	_____

PRIVACY POLICY	
Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website www.freedomconcepts.com or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.	

TERMS & CONDITIONS	
Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.	

CUSTOMER SIGNATURE	
I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties. <input type="checkbox"/> YES <input type="checkbox"/> NO	
I would like to receive regular updates. <input type="checkbox"/> SNAIL MAIL <input type="checkbox"/> EMAIL <input type="checkbox"/> NO	
SIGNATURE OF RIDER/PARENT	