



2011 Evaluation Form

Discovery Series DCP Mini

AGE: 18 Months-5 Years
INSEAM: 6"-13"

Discovery is the Mobility Device that started it all!
Today it's the bike that children and young adults want for its funky design, bright colors and great ride.
More than Freedom, Discovery lets individuals create their own *sense of cool*.



FREEDOM

TM

Concepts Inc.

SMILES THAT LAST!

- Rear Steer Special Edition (RSSE) \$4018.00 (includes shaded items)
 - Rainbow
 - Decal default DJ1
 - Pass Through Frame
 - *Rear Steering*
 - ABS Rear Platform
 - Direct Drive
 - Easy Pedal Power
 - 3" Crank Arm
 - 6" Bottom Bracket Crank Width
 - 3" Bottom Bracket Position
 - 12" Steel Rim Wheels
 - Spoke Covers
 - 12" Smooth Tires
 - Solid Tire Inserts
 - Chrome Fork
 - Front Brake on Rear Steer
 - Molded Small (S-w, 6.5" l) Foot Plates w/Pulley System (Please supply foot tracing)
 - ABS Enclosed Chain Guard
 - Small Hoop Handlebars
 - 6.5" Handlebar Height
 - Mini (10"w, 9" d) Seat Base
 - Mini High Back (13" Height)
 - Removable Headrest
 - Medium Chest Harness
 - Animal Squeaky Horn
 - Multi-tool, Wrench & Pouch

PRODUCT SIZE SPECIFICATIONS



DCP MINI

DISCOVERY DCP MINI

Rider Age (Years)	18 mo.-5
Rider Inseam	6"-13"
Max. Load (lbs)	60
Bike Weight (lbs)	40
Wheel Size	12"
Frame Height (without Seat)	21"
Total Length	42"*
(*with Rear Steering add 12")	
Bike Width	29"

Creating a *CYCLE* of mobility
1.800.661.9915 ◀ www.freedomconcepts.com





DCP Mini

AGE: 18 Months-5 Years
INSEAM: 6"-13"



RIDER INFORMATION Male Female

Rider's Name: _____

Date of Birth: MONTH _____ /DAY _____ /YEAR _____

Diagnosis: _____


Weight: _____ LBS. _____ KGS. Height: _____ INCHES _____ CM

A. Seat Depth: _____ INCHES _____ CM

B. Inseam: _____ INCHES _____ CM

C. Back Height: _____ INCHES _____ CM

D. Seat Width: _____ INCHES _____ CM



THERAPIST'S Name: _____

Phone: _____

Fax: _____

Email: _____


FRAME CHOICE

<input type="checkbox"/> DCP MINI (includes STD items)	
<input type="checkbox"/> Custom Frame	
<input type="checkbox"/> ABS Rear Platform (Steel Rear Removable Platform required for Sun-Shade Canopy)	

REAR STEERING

<input type="checkbox"/> Rear Steering	
TOTAL	

E. Total Length: 42"
F. Rear steering allows bike to be controlled from the rear, this adds 12" to the length of the model.
G. Width: 29"
H. Steering head tube unlocks/locks steering



COLOR CHOICE

<input type="checkbox"/> Rainbow (STD)	
<input type="checkbox"/> Amber-NEW! <input type="checkbox"/> Black <input type="checkbox"/> Blue <input type="checkbox"/> Red <input type="checkbox"/> Yellow (N/C)	
<input type="checkbox"/> Metallic Blue <input type="checkbox"/> Pink	
<input type="checkbox"/> Candy Blue <input type="checkbox"/> Grape	
<input type="checkbox"/> Hot Rod Purple <input type="checkbox"/> Metallic Orange-NEW!	
Other Custom Color	
Sticker Type	
Please note extra delivery time for N/C & custom colors.	

PROPULSION

<input type="checkbox"/> Direct Drive (STD)	
<input type="checkbox"/> Free Wheel	
<input type="checkbox"/> Manual Free Wheel/ Direct Drive Reciprocator System	

PEDAL POWER

<input type="checkbox"/> Easy (STD)	
<input type="checkbox"/> Average	

CRANK ARM LENGTHS - RANGE OF MOTION

Shorter range is suitable for limited knee flexion.

I. 2.5" (N/C)	
J. 3" (STD)	
K. 3.5" (N/C)	
L. 4" (N/C)	(N/A)
M. 5" (N/C)	(N/A)
N. Multi-Crank Length Adapter 4"/5" Cranks	(N/A)






BOTTOM BRACKET WIDTH

<input type="checkbox"/> O. Standard Crank 6" Wide (STD)	
<input type="checkbox"/> P. Narrow Crank 5" Wide	

BOTTOM BRACKET POSITION

<input type="checkbox"/> Standard 18 months - 3 years (3") OR	
<input type="checkbox"/> Standard 3 years - 6 years (5") OR	
<input type="checkbox"/> Custom _____ INCHES _____ CM	
Q. Position of bottom bracket in relation to the seat post.	

WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS! **PAGE SUB-TOTAL**


WHEELS	
<input type="checkbox"/> R. 12" Steel (STD)	
<input type="checkbox"/> S. 12" ABS Plastic	
<input type="checkbox"/> T. Spoke Covers (set of three)	
 R	 S
 T	 U
	 V

TIRES	
<input type="checkbox"/> U. 12" Smooth Solid Tires (Steel Wheel only) (STD)	
<input type="checkbox"/> V. 12" Knobby	
<input type="checkbox"/> 12" Smooth	

FORK	
<input type="checkbox"/> Chrome Fork (STD)	
<input type="checkbox"/> Suspension Fork	(N/A)


BRAKE LEVER POSITION		
Front Brake (Please specify 1st lever position) (STD)		
Parking Brake (N/C)		(N/A)
Second Parking Brake		(N/A)
Second Brake Lever*		
LEVER POSITIONING	1st LEVER (STD)	2nd LEVER*
Left Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Right Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Rear Assistance (T-bar)	<input type="checkbox"/>	<input type="checkbox"/>
Rear Steering Handle	<input type="checkbox"/>	<input type="checkbox"/>

PEDALS	
Measure Rider's Shoe: i) _____ INCHES _____ CM ii) _____ INCHES _____ CM OR TRACE OUTLINE OF RIDER'S SHOE ON A PIECE OF PAPER & SUBMIT w/ORDER.	
<input type="checkbox"/> 1. Basic Pedal with Velcro Strap (STD)	
<input type="checkbox"/> 2. Mountain Style Pedal (N/C)	
<input type="checkbox"/> 3. Mountain Style with Cage	
<input type="checkbox"/> 4. Neoprene Adjustable Footplate* <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL	
<input type="checkbox"/> 5. Molded ABS Footplate System* <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL	
<input type="checkbox"/> 6. Pulley System (FRONT: corrects plantar flexion)	
<input type="checkbox"/> Pulley System (REAR: self-leveling pedals)-NEW!	
<input type="checkbox"/> 7. 0.25" Footplate Spacers Qty: _____/Pedal (/UNIT)	
<input type="checkbox"/> 8. Abductor Leg Brace *requires #5 Molded ABS Footplate <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L (/EA) Please specify <input type="checkbox"/> Left or <input type="checkbox"/> Right	



CHAIN GUARD	
<input type="checkbox"/> ABS Enclosed Chain Guard (STD)	

HANDLE BARS <input type="checkbox"/> Steering Locked <input type="checkbox"/> Steering Unlocked	
<input type="checkbox"/> W. High Rise <input type="checkbox"/> X. Hoop (N/C)	
<input type="checkbox"/> iii. Bar End Extensions	
<input type="checkbox"/> Special Dedication <input type="checkbox"/> Company Logo	
<input type="checkbox"/> Y. Small Hoop (STD)	
<input type="checkbox"/> Z. Enclosed Hoop	



HANDLE BAR BASE HEIGHT (*)	
<input type="checkbox"/> 6.5" Height (STD)	
<input type="checkbox"/> 9.5" Height	

SEAT BASE	
<input type="checkbox"/> 9. Mini (10" width, 9" depth) (STD)	
<input type="checkbox"/> 10. Child Small (N/C)	
<input type="checkbox"/> 11. Add 2" Raised Pommel to seat selection above	
<input type="checkbox"/> 12. Custom (measurements)	
A. _____ INCHES _____ CM B. _____ INCHES _____ CM	
<input type="checkbox"/> 13. Hip Belt 1.5" wide (STD)	
<input type="checkbox"/> 14. Hip Belt, 2" wide (Medium) (N/C)	
<input type="checkbox"/> 15. Neoprene Hip Stabilizer Belt	



BACK REST	
<input type="checkbox"/> 16. Mini High Back - (12.5" width, 13" height) (STD)	
<input type="checkbox"/> 17. Child High Back - (12.5" width, 18" height) (N/C)	
<input type="checkbox"/> 18. Custom	
A. _____ INCHES _____ CM B. _____ INCHES _____ CM	






Chest Strap High Back only (STD)	
<input type="checkbox"/> 19. FCI Removable Head Rest	
<input type="checkbox"/> 20. FCI Adjustable Head Rest	
<input type="checkbox"/> 21. Custom - Custom Mount of Head Support Bracket (Template required)	
A. _____ INCHES _____ CM B. _____ INCHES _____ CM	
<input type="checkbox"/> 22. Lateral Support Bracket complete w/Track <input type="checkbox"/> S <input type="checkbox"/> L (/EA)	
C. CHEST WIDTH _____ INCHES _____ CM D. SEAT TO ARM PIT _____ INCHES _____ CM	



<input type="checkbox"/> Simulated Sheepskin Seat Cover <input type="checkbox"/> Child <input type="checkbox"/> Adult	
<input type="checkbox"/> i2i Neck & Headrest with Support Bracket	
NOTE: Please specify size as per brochure.	

WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS!

PAGE SUB-TOTAL

CHEST HARNESS		
<input type="checkbox"/> Neoprene Chest Harness - Medium		
<input type="checkbox"/> Neoprene Chest Harness - Large		
<input type="checkbox"/> Neoprene Chest Harness - Extra Large		
GLOVES		
<input type="checkbox"/> X Small <input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large		
Custom		
A. Measure width of palm _____ INCHES _____ CM		
B. Measure width of wrist _____ INCHES _____ CM		
C. Measure bend of wrist to top of middle finger _____ INCHES _____ CM		
Hand Tracing Required		
STATIONARY TRAINER		
Indoor Stationary Trainer		(N/A)
ABDUCTOR/ADDUCTION		
23. Abductor (Removable Leg Divider)		
24. Padded Leg Adduction Strap		
		
ACCESSORIES		
<input type="checkbox"/> Self Centering Spring <input type="checkbox"/> Locking Hand Brake (STD)		
<input type="checkbox"/> Safety Flag <input type="checkbox"/> Wheel Reflectors (STD)		
Animal Squeaky Horn (STD)		
Multitool (sold separately) (STD)		
Bell (N/C)		
Tool Pouch (included on RRSE N/C)		
Waterbottle & Holder		
Tool Kit with Waterbottle Shaped Case		
Bike Covers		
Cane/Crutch Holder		
Oxygen Tank Holder (Specify Tank Size _____)		
Sun-Shade Canopy (Requires Rear Platform)		
Communication Tray		
Adjustable Rear Steer Extension Handle		
		Total - Page 3
		Total - Page 2
		Total - Page 1
		SUB-TOTAL
		Boxed (Some assembly required)
		Freight (crated)
		Residential Delivery
		Tax 1
		Tax 2
		Other
		TOTAL

CUSTOMER INFORMATION	
Dealer/Vendor: _____	
Contact Person: _____	
Address: _____	
City: _____	Prov./State: _____
Postal/Zip Code: _____	Ordered by: _____
Phone: _____	Fax: _____
Email: _____	

ORDER INFORMATION	
Purchase Order: _____	
Order Date: _____	Quote Date: _____
FCI Representative: _____	
Payment Terms: _____	
CREDIT CARD (CHECK ONE) <input type="checkbox"/> Visa <input type="checkbox"/> MasterCard Exp. Date: _____	
Card Number: _____	
Name On Card: _____	
Signature: _____	

SHIPPING INSTRUCTIONS	
Name: _____	
Address: _____	
City: _____	
Province/State: _____	
Postal/Zip Code: _____	Phone: _____
Federal ID/SS#: _____	

PRIVACY POLICY	
Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website www.freedomconcepts.com or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.	

TERMS & CONDITIONS	
Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.	

CUSTOMER SIGNATURE	
I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties. <input type="checkbox"/> YES <input type="checkbox"/> NO	
I would like to receive regular updates. <input type="checkbox"/> SNAIL MAIL <input type="checkbox"/> EMAIL <input type="checkbox"/> NO	
SIGNATURE OF RIDER/PARENT	