



# 2011 Evaluation Form

## *Excursion Series*

### **ET 2611**

AGE: 7+  
INSEAM: (Front Rider) 16"-30"



The best way for some folks to enjoy a ride in the great outdoors is a bicycle built for two. The driver steers and controls the device from the rear. The rider in front, whether visually or physically challenged, can enjoy all the benefits of cycling, including the fresh breeze on their face.

# **FREEDOM**

## *Concepts*

### *Inc.*

TM

SMILES THAT LAST!

**NEW & IMPROVED FRAME DESIGN**



ET 2611

Frame color shown: Metallic Orange

<b>EXCURSION ET 2611</b>	
Rider Age (Years)	7+
Rider Inseam	16"-30" (Front Rider)
Max. Load (lbs)	400 (Combined)
Bike Weight (lbs)	20 (Frame only)
Bike Weight (lbs)	85 (Excludes seat)
Wheel Size	26" (Front Wheel 24")
Frame Height	17.5" (without Seat)
Transfer Height	22" (with Seat)
Total Length	101"
Bike Width	38"

### WHAT'S NEW

- 30% less weight than the original ATP/ATA 2600 Tandems
- New On/Off Reciprocator
- New Adjustable Seat with greater inseam range
- Lower open frame design allows for ease of transfer
- New Nexus 8 Speed Shifter
- New Cable Actuated Rear Steer

**Creating a CYCLE of mobility**  
1.800.661.9915 ◀ [www.freedomconcepts.com](http://www.freedomconcepts.com)





**ET 2611**

AGE: 7+  
INSEAM: (Front Rider) 16"-30"



**RIDER INFORMATION (1)**     Male     Female

Rider's Name: \_\_\_\_\_  
 Date of Birth: MONTH \_\_\_\_\_ /DAY \_\_\_\_\_ /YEAR \_\_\_\_\_  
 Diagnosis: \_\_\_\_\_  
 Weight: \_\_\_\_\_ LBS. \_\_\_\_\_ KGS.    Height: \_\_\_\_\_ INCHES \_\_\_\_\_ CM

A. Seat Depth: \_\_\_\_\_ INCHES \_\_\_\_\_ CM  
 B. \*INSEAM: \_\_\_\_\_ INCHES \_\_\_\_\_ CM  
 C. Back Height: \_\_\_\_\_ INCHES \_\_\_\_\_ CM  
 D. Seat Width: \_\_\_\_\_ INCHES \_\_\_\_\_ CM

THERAPIST'S Name: \_\_\_\_\_  
 Phone: \_\_\_\_\_  
 Fax: \_\_\_\_\_  
 Email: \_\_\_\_\_

**DRIVER INFORMATION (2)**     Male     Female

#1 Driver's Name: \_\_\_\_\_  
 Weight: \_\_\_\_\_ LBS. \_\_\_\_\_ KGS.    Height: \_\_\_\_\_ INCHES \_\_\_\_\_ CM  
 #2 Driver's Name: \_\_\_\_\_  
 Weight: \_\_\_\_\_ LBS. \_\_\_\_\_ KGS.    Height: \_\_\_\_\_ INCHES \_\_\_\_\_ CM  
**Seat Post Length (Option Required):**  
 24+" inseam (\$50.00)     29+" inseam (STD)     Second Seat Post Required\*  
 (\*For multiple Drivers whose inseams do not fall into the same inseam range.)

**FRAME CHOICE**

ET 2611 - <b>NEW!</b>	
Custom Frame	ADD
Removable Rear Platform	

- E. Total Length: 101"
- F. Width: 38"
- G. Steering head tube unlocks/locks steering
- Frame Height: 17"
- Driver's Seat Height: 29"+ (STD) (Modified frame for smaller inseams)
- Front Rider Seat easily slides back and forth as well adjusts up and down; Minimum Seat Height: 22"



**COLOR CHOICE**

<input type="checkbox"/> Candy Blue <input type="checkbox"/> Metallic Orange - <b>NEW!</b>	(STD)
<input type="checkbox"/> Amber - <b>NEW!</b> <input type="checkbox"/> Black <input type="checkbox"/> Blue <input type="checkbox"/> Red <input type="checkbox"/> Yellow	(N/C)
<input type="checkbox"/> Metallic Blue <input type="checkbox"/> Pink	
<input type="checkbox"/> Grape <input type="checkbox"/> Hot Rod Purple	
Other Custom Color	
Sticker Type: _____ (Please specify)	
Please note extra delivery time for N/C & custom colors.	


**PROPULSION**

8 Speed Nexus Shifter w/ twist grip	(STD)	<b>NEW!</b>
Shift Lever Location	<input type="checkbox"/> RIGHT <input type="checkbox"/> LEFT (N/A)	
Lever Actuated Front Crank Mechanical On/Off Reciprocator		<b>NEW!</b>
Shift Lever Location	<input type="checkbox"/> RIGHT <input type="checkbox"/> LEFT	
Electric Assist		

**CRANK ARM LENGTHS - RANGE OF MOTION**

Shorter range is suitable for limited knee flexion.

H. 2.5"	(N/C)	(N/A)
I. 3"	(N/C)	(N/A)
J. 3.5"	(N/C)	(N/A)
K. 4" (N/A with Reciprocator)	(N/C)	
L. 5"	(STD)	
M. Multi-Crank Length Adapter 4 7/8" Cranks		



**FOOT PLATFORM** (When front rider's inseam is less than 16")

ABS Foot Platform	
-------------------	--

**BOTTOM BRACKET WIDTH**

N. Standard Crank 6" Wide	(STD)
---------------------------	-------

COMMENTS

WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS!    **PAGE SUB-TOTAL**

WHEELS	
O. Aluminum (STD)	
P. Mega Spoke (While Supplies last)	
Q. Spoke Covers (set of three)	




TIRES	
R. Smooth (N/A)	
S. Knobby (STD)	

FORK	
Suspension Fork (STD)	

BRAKE LEVER POSITION		
LEVER POSITIONING	FRONT BRAKE	REAR BRAKE
Left Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Right Handlebar	<input type="checkbox"/>	<input type="checkbox"/>

BRAKE OPTIONS		
FRONT BRAKE	REAR BRAKE	
<input type="checkbox"/> Vee Brakes (STD)	<input type="checkbox"/> Disc Brakes (STD)	
<input type="checkbox"/> Disc Brakes *Must have Suspension Fork (N/A with Electric Assist)		


PEDALS	
Measure Rider's Shoe: i) _____ INCHES _____ CM ii) _____ INCHES _____ CM OR TRACE OUTLINE OF RIDER'S SHOE ON A PIECE OF PAPER & SUBMIT w/ORDER.	
1. Mountain Style Pedal (STD)	
2. Mountain Style with Cage	
3. Neoprene Adjustable Footplate* <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL	
4. Molded ABS Footplate System* <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL	
5. Pulley System (FRONT: corrects plantar flexion)	
Pulley System (REAR: self-leveling pedals)-NEW!	
6. 0.25" Footplate Spacers Qty: _____/Pedal (/UNIT)	
7. Abductor Leg Brace *includes #5 Molded ABS Footplate <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L (/EA) Please specify <input type="checkbox"/> Left or <input type="checkbox"/> Right	



CHAIN GUARD	
Heavy Duty Steel Chain Guard (STD)	
ABS Enclosed Chain Guard (N/A)	(N/A)

COMMENTS

FRONT RIDER HANDLE BARS	
Steering: <input type="checkbox"/> Locked	
<input type="checkbox"/> T. High Rise (N/C)	
<input type="checkbox"/> U. Hoop (STD)	
<input type="checkbox"/> V. Wide (N/C)	
i. Nameplate <input type="checkbox"/> Special Dedication <input type="checkbox"/> Company Logo	



FRONT RIDER SEAT BASE	
8. Child (12.5" width, 12.5" depth) (STD)	
9. Child Narrow	
10. Adult Seat (16.75" width, 14" depth)	
11. Adult Narrow	
12. Add 2" Raised Pommel to seat selection above	
13. Custom (measurements) A. _____ inches _____ cm B. _____ inches _____ cm	
14. Hip Belt, 1.5" wide (N/C)	
15. Hip Belt, 2" wide <input type="checkbox"/> M <input type="checkbox"/> L (STD)	
16. Neoprene Hip Stabilizer Belt	



FRONT RIDER BACK REST	
16. Child Low Back - (13" width, 7.5" height) (STD)	
17. Child High Back - (13" width, 18" height)	
18. Adult Low Back - (17" width, 7.5" height)	
19. Adult High Back - (17" width, 18" height)	
20. Custom A. _____ INCHES _____ CM B. _____ INCHES _____ CM	
<b>Chest Strap High Back only (STD)</b>	
21. FCI Removable Head Rest*	
22. FCI Adjustable Head Rest*	
23. Custom - Custom Mount of Head Support Bracket (Template required) A. _____ INCHES _____ CM B. _____ INCHES _____ CM	
24. Lateral Support Bracket complete w/Track <input type="checkbox"/> S <input type="checkbox"/> L (/EA) C. CHEST WIDTH _____ INCHES _____ CM D. SEAT to ARM Pit _____ INCHES _____ CM	

NOTE: HEAD REST MAY RESTRICT STEERING/TURNING RADIUS.



Simulated Sheepskin Seat Cover <input type="checkbox"/> Child <input type="checkbox"/> Adult	
i2i Neck & Headrest with Support Bracket NOTE: Please specify size as per brochure.	

WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS! PAGE SUB-TOTAL

CHEST HARNESS	
<input type="checkbox"/> Neoprene Chest Harness - Medium	
<input type="checkbox"/> Neoprene Chest Harness - Large	
<input type="checkbox"/> Neoprene Chest Harness - Extra Large	



GLOVES	
<input type="checkbox"/> X Small <input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large	
<input type="checkbox"/> Custom	

A. Measure width of palm _____ INCHES _____ CM	
B. Measure width of wrist _____ INCHES _____ CM	
C. Measure bend of wrist to top of middle finger _____ INCHES _____ CM	



STATIONARY TRAINER	
<input type="checkbox"/> Indoor Stationary Trainer	

ABDUCTOR/ADDUCTION	
<input type="checkbox"/> 25. Abductor (Removable Leg Divider)	
<input type="checkbox"/> 26. Padded Leg Adduction Strap	



ACCESSORIES	
<input type="checkbox"/> Locking Hand Brake (STD)	
<input type="checkbox"/> Safety Flag <input type="checkbox"/> Wheel Reflectors (STD)	
Animal Squeaky Horn (N/C)	
Multitool (sold separately) (STD)	
Bell (STD)	
Tool Pouch	
Waterbottle & Holder	
Tool Kit with Waterbottle Shaped Case	
Bike Covers	
Cane/Crutch Holder	
Oxygen Tank Holder (Specify Tank Size _____)	
Sun-Shade Canopy (Requires Rear Platform) (N/A)	
Communication Tray	

	Total - Page 3
	Total - Page 2
	Total - Page 1
	SUB-TOTAL
	Freight (crated)
	Residential Delivery
	Tax 1
	Tax 2
	Other
	<b>TOTAL</b>

## CUSTOMER INFORMATION

Dealer/Vendor: \_\_\_\_\_

Contact Person: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_ Prov./State: \_\_\_\_\_

Postal/Zip Code: \_\_\_\_\_ Ordered by: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Email: \_\_\_\_\_

## ORDER INFORMATION

Purchase Order: \_\_\_\_\_

Order Date: \_\_\_\_\_ Quote Date: \_\_\_\_\_

FCI Representative: \_\_\_\_\_

Payment Terms: \_\_\_\_\_

CREDIT CARD (CHECK ONE)  Visa  MasterCard Exp. Date: \_\_\_\_\_

Card Number: \_\_\_\_\_

Name On Card: \_\_\_\_\_

Signature: \_\_\_\_\_

## SHIPPING INSTRUCTIONS

Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

Province/State: \_\_\_\_\_

Postal/Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_

Federal ID/SS#: \_\_\_\_\_

## PRIVACY POLICY

Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website [www.freedomconcepts.com](http://www.freedomconcepts.com) or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.

## TERMS & CONDITIONS

Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.

### CUSTOMER SIGNATURE

I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties.  YES  NO  
I would like to receive regular updates.  SNAIL MAIL  EMAIL  NO

\_\_\_\_\_  
SIGNATURE OF RIDER/PARENT