



# 2011 Evaluation Form

## *Semi Recumbent Series*

### *ASR 20/HSR 20*

AGE: 15+/45+ YEARS  
INSEAM: 21"+

Our Semi Recumbent Series makes it easy for rider's to get on and off the bike in a natural position. The seat is low to the ground for easy transferring and allows those with limited ranges of motion to have their legs further forward. The pull-away handlebar system allows for easy, unobstructed on/off transfers. High ratio steering system allows for limited range of motion in arms, wrists and shoulders.



SMILES THAT LAST!



ASR 20/HSR 20

#### SEMI RECUMBENT

	ASR 20 JR	HSR 20JR	ASR 20	HSR 20	HSR 20 HD
Rider Age (Years)	10+	45+	15+	45+	Heavy Duty Features:
Rider Inseam	21"+	21"+	21"+	21"+	Custom Frame
Max. Load (lbs)	175	175	225	225	Custom Seat and Back
Bike Weight (lbs)	65	65	65	65	Heavy Duty Wheels
Wheel Size	20"	20"	20"	20"	
Frame Height (without Seat)	35"	35"	35"	35"	
Total Length	77"*	77"*	82"*	82"*	
(*with Rear Steering add 12")					
Bike Width	34"	34"	34"	34"	

**Creating a CYCLE of mobility**  
1.800.661.9915 ◀ [www.freedomconcepts.com](http://www.freedomconcepts.com)





**ASR 20/HSR 20**  
AGE: 10+ YEARS INSEAM: 21"+




<b>RIDER INFORMATION</b>		<input type="checkbox"/> Male	<input type="checkbox"/> Female
Rider's Name: _____			
Date of Birth: MONTH _____ /DAY _____ /YEAR _____			
Diagnosis: _____			
Weight: _____ LBS. _____ KGS.		Height: _____ INCHES _____ CM	
A. Seat Depth: _____ INCHES _____ CM			
B. Inseam: _____ INCHES _____ CM			
C. Back Height: _____ INCHES _____ CM			
D. Seat Width: _____ INCHES _____ CM			
THERAPIST'S Name: _____			
Phone: _____			
Fax: _____			
Email: _____			

<b>FRAME CHOICE</b>	
ASR 20 JR/HSR 20JR (6" Shorter Frame)	
ASR 20/HSR20	
HSR 20 HD (Heavy Duty)	
Custom Frame	ADD
Removable Rear Platform* (required for Sun-Shade Canopy)	

<b>REAR STEERING</b>	
Rear Steering	
<b>TOTAL</b>	

E. Total Length: 82" JR: 77"  
 F. Rear steering allows bike to be controlled from the rear, this adds 12" to the length of the model.  
 G. Width: 34"  
 H. Steering head tube unlocks/locks steering




<b>COLOR CHOICE</b>	
<input type="checkbox"/> Candy Blue	(STD)
<input type="checkbox"/> Amber-NEW! <input type="checkbox"/> Black <input type="checkbox"/> Blue <input type="checkbox"/> Red <input type="checkbox"/> Yellow (N/C)	
<input type="checkbox"/> Pink <input type="checkbox"/> Hot Rod Purple	
<input type="checkbox"/> Metallic Blue <input type="checkbox"/> Metallic Orange-NEW!	
<input type="checkbox"/> Grape	
Other Custom Color	
Sticker Type	
Please note extra delivery time for N/C & custom colors.	

<b>PROPULSION</b>	
<input type="checkbox"/> Direct Drive	(STD)
<input type="checkbox"/> Free Wheel	
<input type="checkbox"/> Manual Free Wheel/Direct Drive Reciprocator System	
<input type="checkbox"/> Multi Speed Option (Sprocket Size 11-34)	
<b>Shift Lever Location</b>	<input type="checkbox"/> RIGHT <input type="checkbox"/> LEFT (N/A)
<input type="checkbox"/> Electric Assist	

<b>PEDAL POWER (For Single Speed only)</b>	
<input type="checkbox"/> Easy	
<input type="checkbox"/> Average	(STD)
<input type="checkbox"/> Challenging	

<b>CRANK ARM LENGTHS - RANGE OF MOTION</b>		
Shorter range is suitable for limited knee flexion.		
I. 2.5"	(N/C)	(N/A)
J. 3"	(N/C)	
K. 3.5"	(N/C)	
L. 4"	(N/C)	
M. 5"	(STD)	
N. Multi-Crank Length Adapter 4 <sup>7</sup> / <sub>5</sub> " Cranks		




<b>BOTTOM BRACKET WIDTH</b>	
<input type="checkbox"/> O. Standard Crank 6" Wide	(STD)

<b>BOTTOM BRACKET POSITION</b>	
Inseam Measurement Required	
_____ INCHES _____ CM	
P. Position of bottom bracket in relation to the seat post.	

COMMENTS

WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS! **PAGE SUB-TOTAL**

WHEELS	
Q. 20" Aluminum (STD)	
R. 20" Mega Spoke (While Supplies last)	
20" HD Wheels (included on HD n/c)	
Removable Wheels	
S. Spoke Covers (set of three)	



TIRES	
T. 20" Smooth (STD)	
U. 20" Knobby	


FORK	
Chrome Fork (STD)	
Suspension Fork (Refer to Tire U) <input type="checkbox"/> Silver <input type="checkbox"/> Yellow (Required when Disc Brakes are ordered)	

BRAKE LEVER POSITION		
Parking Brake (Right Rear Wheel) (STD)		
Second Parking Brake (Left Rear Wheel)		
LEVER POSITIONING	FRONT BRAKE	REAR BRAKE
Left Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Right Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Rear Assistance (T-bar)	(N/A)	(N/A)
Rear Steering Handle	<input type="checkbox"/>	<input type="checkbox"/>

BRAKE OPTIONS		
FRONT BRAKE	REAR BRAKE	
<input type="checkbox"/> Vee Brakes (STD)	<input type="checkbox"/> Disc Brakes (STD)	
<input type="checkbox"/> Disc Brakes (\$129.00) *Must have Suspension Fork		

**PEDALS**  
 Measure Rider's Shoe: i) \_\_\_\_\_ INCHES \_\_\_\_\_ CM ii) \_\_\_\_\_ INCHES \_\_\_\_\_ CM OR  
 TRACE OUTLINE OF RIDER'S SHOE ON A PIECE OF PAPER & SUBMIT w/ORDER.


1. Mountain Style Pedal (STD)	
2. Mountain Style with Cage	
3. Neoprene Adjustable Footplate* <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL	
4. Molded ABS Footplate System* <input type="checkbox"/> XS <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL	
5. Pulley System (FRONT: corrects plantar flexion)	
Pulley System (REAR: self-leveling pedals)-NEW!	
6. 0.25" Footplate Spacers Qty: _____/Pedal (/UNIT)	
7. Abductor Leg Brace *includes #5 Molded ABS Footplate <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L (/EA) Please specify <input type="checkbox"/> Left or <input type="checkbox"/> Right	



CHAIN GUARD	
Heavy Duty Steel Chain Guard (STD)	
ABS Enclosed Chain Guard (N/A)	

**HANDLE BARS**  Steering Locked  Steering Unlocked

<input type="checkbox"/> V. High Rise (N/C)	
<input type="checkbox"/> W. Hoop (STD)	
<input type="checkbox"/> X. Wide (N/C)	
i. Nameplate <input type="checkbox"/> Special Dedication <input type="checkbox"/> Company Logo	
Stability Handle Please specify <input type="checkbox"/> Left or <input type="checkbox"/> Right	




**SEAT BASE**

8. Child (12.5" width, 12.5" depth) (STD JR)	(N/C)
9. Child Narrow	
10. Adult Seat (16.75" width, 14" depth) (STD)	
11. Adult Narrow	
12. Add 2" Raised Pommel to seat selection above	
13. Custom (measurements)	
A. _____ inches _____ cm B. _____ inches _____ cm	
14. Hip Belt, 2" wide (Large) (STD)	
15. Neoprene Hip Stabilizer Belt	



**BACK REST**





16. Child High Back - (13" width, 18" height)	
17. Adult - (17" width, 18" height) (STD)	
18. Adult - (17" width, 22" height)	
19. Custom	
A. _____ INCHES _____ CM B. _____ INCHES _____ CM	
<b>Chest Strap High Back only (STD)</b>	
20. FCI Removable Head Rest	
21. FCI Adjustable Head Rest	
22. Custom - Custom Mount of Head Support Bracket (Template required)	
A. _____ INCHES _____ CM B. _____ INCHES _____ CM	
23. Lateral Support Bracket complete w/Track <input type="checkbox"/> S <input type="checkbox"/> L (/EA)	
C. CHEST WIDTH _____ INCHES _____ CM D. SEAT to ARMPIT _____ INCHES _____ CM	



Simulated Sheepskin Seat Cover <input type="checkbox"/> Child <input type="checkbox"/> Adult	
i2i Neck & Headrest with Support Bracket	
NOTE: Please specify size as per brochure.	

WE CAN CUSTOM BUILD BASED ON YOUR SPECIFIC NEEDS!

PAGE SUB-TOTAL

<b>CHEST HARNESS</b>		
<input type="checkbox"/> Neoprene Chest Harness - Medium		
<input type="checkbox"/> Neoprene Chest Harness - Large		
<input type="checkbox"/> Neoprene Chest Harness - Extra Large		
<b>GLOVES</b>		
<input type="checkbox"/> X Small <input type="checkbox"/> Small <input type="checkbox"/> Medium <input type="checkbox"/> Large		
Custom		
A. Measure width of palm _____ INCHES _____ CM		
B. Measure width of wrist _____ INCHES _____ CM		
C. Measure bend of wrist to top of middle finger _____ INCHES _____ CM		
Hand Tracing Required		
<b>STATIONARY TRAINER</b>		
<input type="checkbox"/> Indoor Stationary Trainer		
<b>ABDUCTOR/ADDUCTION</b>		
<input type="checkbox"/> 24. Abductor (Removable Leg Divider)		
<input type="checkbox"/> 25. Padded Leg Adduction Strap		
		
<b>ACCESSORIES</b>		
<input type="checkbox"/> Self Centering Spring <input type="checkbox"/> Locking Hand Brake (STD)		
<input type="checkbox"/> Safety Flag <input type="checkbox"/> Wheel Reflectors (STD)		
Animal Squeaky Horn (N/C)		
Multitool (sold separately) (STD)		
Bell (STD)		
Tool Pouch		
Waterbottle & Holder		
Tool Kit with Waterbottle Shaped Case		
Bike Covers		
Cane/Crutch Holder		
Oxygen Tank Holder (Specify Tank Size _____)		
Sun-Shade Canopy (Requires Rear Platform)		
Communication Tray		
Adjustable Rear Steer Extension Handle		
		Total - Page 3
		Total - Page 2
		Total - Page 1
		SUB-TOTAL
		Freight (crated)
		Residential Delivery
		Tax 1
		Tax 2
		Other
		<b>TOTAL</b>

<b>CUSTOMER INFORMATION</b>	
Dealer/Vendor:	_____
Contact Person:	_____
Address:	_____
City:	Prov./State: _____
Postal/Zip Code:	Ordered by: _____
Phone:	Fax: _____
Email:	_____

<b>ORDER INFORMATION</b>	
Purchase Order:	_____
Order Date:	Quote Date: _____
FCI Representative:	_____
Payment Terms:	_____
CREDIT CARD (CHECK ONE) <input type="checkbox"/> Visa <input type="checkbox"/> MasterCard	Exp. Date: _____
Card Number:	_____
Name On Card:	_____
Signature:	_____

<b>SHIPPING INSTRUCTIONS</b>	
Name:	_____
Address:	_____
City:	_____
Province/State:	_____
Postal/Zip Code:	Phone: _____
Federal ID/SS#:	_____

<b>PRIVACY POLICY</b>	
Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website <a href="http://www.freedomconcepts.com">www.freedomconcepts.com</a> or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.	

<b>TERMS &amp; CONDITIONS</b>	
Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.	

CUSTOMER SIGNATURE	
I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties. <input type="checkbox"/> YES <input type="checkbox"/> NO	
I would like to receive regular updates. <input type="checkbox"/> SNAIL MAIL <input type="checkbox"/> EMAIL <input type="checkbox"/> NO	
SIGNATURE OF RIDER/PARENT	