


# 2018 Evaluation Form AS 2000

Inseam Range: 23" - 34"

Designed for riders aged 14 and up, the AS 2000 is one of our larger models. The bike's 35" extra-wide rear stance provides excellent stability - however for those concerned with limited space, a narrow 31" version is also available - perfect for traveling through narrow doorways in schools or therapy centers. For the smaller riders out there we offer the AS 2000 JR, which has the same great features, with a slightly smaller setup.



Our Most Common Setup!  
**RSSE!**



Works for Over  
80% of Our  
Riders!

## AS 2000 RSSE REAR STEER SPECIAL EDITION

■ Indicates Features/Options Required to Create the RSSE Setup:

- AS2000 XT Frame
- Direct Drive
- 6" Bottom Bracket Position
- 20" Smooth Solid Tires
- Adult Seat Base
- Molded ABS Footplates
- Heavy-Duty Steel Chainguard
- Front Vee Brake
- Parking Brake
- Rear Steering
- Average Pedal Power
- 6" Crank
- 20" Aluminium Wheels
- Adult Tilt Seat Back
- Large Chest Harness
- 2" Chest and Hip Belts
- Rear Disc Brake
- Hoop Handlebars

ADVENTURER SERIES SPECIFICATIONS				
	2000XT	2000	2000N	2000HD
Rider Age	14+	14+	14+	14+
Max Load (lbs)	225	225	225	350
Bike Weight (lbs)	68	65	65	68
Frame Height (without seat)	32"	29"	29"	32"
Total Length *Rear Steering adds 12"	67"*	62"*	62"*	67"*
Bike Width	35"	35"	31"	35"

Sizing Guide: Inseam 23" - 34"

Bike Weight: 68 lbs





# AS 2000

AGE: 14+ YEARS INSEAM: 23"-34"

## RIDER INFORMATION

Rider's Name: \_\_\_\_\_  
 Male  Female  
 Date of Birth: MONTH \_\_\_\_\_ /DAY \_\_\_\_\_ /YEAR \_\_\_\_\_  
 Diagnosis: \_\_\_\_\_  
 Weight: \_\_\_\_\_LBS. \_\_\_\_\_KGS. Height: \_\_\_\_\_INCHES \_\_\_\_\_CM  
 Inseam: \_\_\_\_\_

### HIGHLIGHTED ITEMS INCLUDED IN FRAME CHOICE PRICE

FRAME/MODEL CHOICE	
<input type="checkbox"/> AS2000	
<input type="checkbox"/> AS2000 XT- ("EXTENDED" FRAME ALLOWS FOR TILT SEATING SETUP)	
<input type="checkbox"/> AS2000 Jr. - (REQUIRES CHILD SEATING SETUP, 3" BOTTOM BRACKET POSITION)	
<input type="checkbox"/> AS2000 Narrow	
<input type="checkbox"/> AS2000 HD (Heavy Duty) - (350 LBS MAXIMUM LOAD)	
<input type="checkbox"/> Removable Rear Platform	
<input type="checkbox"/> Custom Frame	(call for price)

## REAR STEERING

A. Rear Steering Assistance Handle  
 B. Adjustable Jogging Extension Handle



## COLOR CHOICE Please Note Extra Delivery Time for Non-Standard & Custom Colors

Candy Blue  Hot Rod Purple (STD)  
 Decal Type:  Male  Female (STD)  
 Metallic Orange  Red  Yellow  Pink  
 Other Custom Color \_\_\_\_\_

**Shown with:**  
 AS2000XT Frame Setup, Adjustable Tilt Fork, Molded ABS Foot-plates, Rear Steering, Rear Pulley, Occiput Support Cushion, and other STD features.



TOTAL LENGTH: STD: 62" Narrow: 62" Heavy Duty: 67" XT: 72"  
 TOTAL WIDTH: STD: 35" Narrow: 31" Heavy Duty: 35" XT: 35"

## PROPULSION

SHIFTER LOCATION:  Right Handlebar (STD)  Rear Steer (N/C)

<input type="checkbox"/> Direct Drive	(STD)
<input type="checkbox"/> Free Wheel - (NOT AVAILABLE WHEN EASY PEDAL POWER SELECTED)	
<input type="checkbox"/> Free Wheel/Direct Drive Reciproator	
<input type="checkbox"/> *TEC Drive - (EASY, AVERAGE, CHALLENGING GEARING)	
<input type="checkbox"/> *REC Drive - (EASY, AVERAGE, OFF GEARING)	
*TEC & REC SHIFTER LOCATION: <input type="checkbox"/> Right Handlebar <input type="checkbox"/> Rear Steer	

## PEDAL POWER For Single Speed Bikes Only

Easy (STD ON JR)  Average (STD)  Challenging (N/C)


## CRANK ARM LENGTHS

<input type="checkbox"/> 5" Alloy Crank (STD)	<input type="checkbox"/> 4" Alloy Crank (STD ON JR)	(STD)
<input type="checkbox"/> 3" Alloy Crank		(N/C)
<input type="checkbox"/> Crank Arm Length Shortener (reduces length by 1/2")		

## BOTTOM BRACKET POSITION

5" (STD)  3" (STD ON JR)  6" (STD ON XT) (N/C)  
 Custom \_\_\_\_\_INCHES \_\_\_\_\_CM

**C. If Custom Bottom Bracket is required,** specify the position of the bottom bracket in relation to the seat post.



## CHAIN GUARD

Heavy Duty Steel Chain Guard (STD)  
 ABS Enclosed Chain Guard - (NOT AVAILABLE WITH TEC OR REC DRIVES)

## BRAKE OPTIONS AND POSITION

	Front Brake	Rear Brake	
<input type="checkbox"/> Vee Brake		<input type="checkbox"/> Disc Brake	(STD)
<input type="checkbox"/> Disc Brake (SUSPENSION FORK REQUIRED)			
<input type="checkbox"/> Drag Brake Lever (Disc Brakes)			
Lever Position	Front Brake	Rear Brake	
Left Handlebar	<input type="checkbox"/>	<input type="checkbox"/>	
Right Handlebar	<input type="checkbox"/>	<input type="checkbox"/>	
Rear Steering	<input type="checkbox"/>	<input type="checkbox"/>	
T-Bar	<input type="checkbox"/>	<input type="checkbox"/>	

## PARKING BRAKE

Parking Brake - (MOUNTS ON REAR RIGHT-HAND SIDE WHEEL) (STD)  
 Second Parking Brake - (MOUNTS ON REAR LEFT-HAND SIDE WHEEL)

## WHEELS AND TIRES

<input type="checkbox"/> 20" Aluminium Wheels	(STD)
<input type="checkbox"/> 20" Heavy-Duty Steel Wheels - (INCLUDED ON AS2000HD AT NO COST)	
<input type="checkbox"/> 20" Removable Wheels	
<input type="checkbox"/> Spoke Covers - (SET OF THREE)	
<input type="checkbox"/> 20" Smooth Solid Tires - (ALUMINIUM WHEELS ONLY)	(STD)
<input type="checkbox"/> Knobby Pneumatic Tires <input type="checkbox"/> Smooth Pneumatic Tires	

PAGE SUB-TOTAL



HANDLEBARS	
<input type="checkbox"/> Unlocked Steering (STD)	<input type="checkbox"/> Locked Steering (N/C)
<input type="checkbox"/> Hoop Handlebars	(STD)
<input type="checkbox"/> High Rise Handlebars	(N/C)
<input type="checkbox"/> Enclosed Hoop Handlebars	
<input type="checkbox"/> Bar End Extensions	
<input type="checkbox"/> Nameplate with Decal - Please Specify	

PEDALS		<i>Please Attach Foot Tracing if Possible</i>	
<input type="checkbox"/> D. Mountain Pedals with Toe Cage			(STD)
<input type="checkbox"/> E. Neoprene Adjustable Footplates	<input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> L <input type="checkbox"/> XL		
<input type="checkbox"/> F. Molded ABS Footplates	<input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> L <input type="checkbox"/> XL		
<input type="checkbox"/> G. Molded ABS Footplates with Ratcheting Straps	<input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L <input type="checkbox"/> XL		
<input type="checkbox"/> 0.25" Footplate Spacers	Quantity _____ Pedal _____		
<input type="checkbox"/> Pulley: <input type="checkbox"/> Front ( <i>corrects plantar flexion</i> )	<input type="checkbox"/> Rear ( <i>self leveling pedals</i> )		



FRONT FORK	
<input type="checkbox"/> Chrome Fork	(STD)
<input type="checkbox"/> H. Adjustable Tilt Fork	
<input type="checkbox"/> Suspension Fork - (REQUIRED WHEN DISC BRAKES ARE ORDERED)	



**Adjustable Tilt Fork**  
Add or reduce tilt with the attached ratchet. Over 6" of adjustment range, translating to a variable 10° tilt.

ACCESSORIES	
<input type="checkbox"/> Velcro Hand-Eye Coordination Gloves	<input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> LRG
<input type="checkbox"/> Indoor Stationary Trainer - (ALLOWS FOR BIKE TO BE RIDDEN INDOORS)	
<input type="checkbox"/> iPad/Tablet Holder	
<input type="checkbox"/> Cane/Crutch Holder	
<input type="checkbox"/> Oxygen Tank Holder (Specify Tank Size _____)	
<input type="checkbox"/> Communication Tray	
<input type="checkbox"/> Simulated Sheepskin Seat Cover	<input type="checkbox"/> Child <input type="checkbox"/> Adult
<input type="checkbox"/> Bike Cover	
<input type="checkbox"/> Tool Pouch	

ABDUCTION/ADDUCTION	
<input type="checkbox"/> Abductor Leg Braces ( <i>require Molded ABS Footplates</i> )	Size: <input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> LRG Side: <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> Both
<input type="checkbox"/> Abductor Positioning Wedge ( <i>removable leg divider</i> )	
<input type="checkbox"/> Padded Leg Adduction Strap	

**COMMENTS/NOTES/CUSTOMIZATIONS:**

SEAT BASE	
<input type="checkbox"/> Hip Belt 2" Wide	<input type="checkbox"/> MED <input type="checkbox"/> LRG (STD)
<input type="checkbox"/> Adult Seat (16.75" width, 14" depth)	(STD)
<input type="checkbox"/> Adult Narrow - (1" NARROWER SEAT NOSE)	
<input type="checkbox"/> Child Seat (12.5" width, 12.5 depth)	(STD ON JR)
<input type="checkbox"/> Child Narrow Seat - (1" NARROWER SEAT NOSE)	
<input type="checkbox"/> 2" Raised Pommel - (ADDED TO SEAT SELECTION)	
<input type="checkbox"/> Neoprene Hip Stabilizer Belt - (REPLACES STANDARD HIP BELT)	
<input type="checkbox"/> Custom Seat Base	Seat Depth: _____ Seat Width: _____

BACK REST	
<input type="checkbox"/> Chest Strap - (ONLY AVAILABLE ON HIGH BACK SEATING)	(STD)
<input type="checkbox"/> Adult Low Back (17" width, 10" height)	(STD)
<input type="checkbox"/> I. Neoprene Chest Harness	<input type="checkbox"/> MED <input type="checkbox"/> LRG <input type="checkbox"/> XL
<input type="checkbox"/> Adult High Back (17" width, 18" height)	
<input type="checkbox"/> Child Low Back (13" width, 7.5" height)	(STD ON JR)
<input type="checkbox"/> Child High Back (13" width, 18" height)	
<input type="checkbox"/> <input type="checkbox"/> Tilt Back Rest <input type="checkbox"/> Recline Back Rest (STD ON XT)	
<input type="checkbox"/> J. Lateral Support Bracket ( <i>comes complete with track</i> )	<input type="checkbox"/> SML <input type="checkbox"/> LRG
<b>PLEASE NOTE:</b> Includes Custom Seat Back. 2 Required for Set.	
Chest Width: _____ Seat-to-Armpit: _____	
<input type="checkbox"/> ADD: Tool-Free Height & Width Adjustment for Lateral Track	
<input type="checkbox"/> Custom Seat Back	(call for price)
Seat Depth: _____ Seat Width: _____	



HEAD RESTS	
<input type="checkbox"/> K. Adjustable/Removable Headrest	<b>PLEASE NOTE:</b> Required for addition of Adjustable Rain and Sun Shade Canopy
<input type="checkbox"/> L. Adjustable Velcro Occiput Support Cushion	<b>PLEASE NOTE:</b> Includes Adjustable/Removable Headrest Option
<input type="checkbox"/> M. i2i Head and Neck Support System - With Support Bracket	<b>PLEASE SPECIFY Neck Circumference:</b> _____
<input type="checkbox"/> Headpod Support System - With Support Bracket	<b>PLEASE NOTE:</b> Includes Adjustable/Removable Headrest Option
<input type="checkbox"/> N. Adjustable Rain and Sun Shade Canopy	<b>PLEASE NOTE:</b> Requires the Adjustable/Removable Headrest
<input type="checkbox"/> Custom - Custom Mount of Head Support Bracket	(call for price)
Height: _____ Width: _____ (template req)	



**PAGE SUB-TOTAL**

<b>SUB-TOTAL</b>	
Freight (crated)	
Residential Delivery	
Tax 1	
Tax 2	
Other	
<b>TOTAL:</b>	

## CUSTOMER INFORMATION

Dealer/Vendor: \_\_\_\_\_  
Contact Person: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ Prov./State: \_\_\_\_\_  
Postal/Zip Code: \_\_\_\_\_ Ordered by: \_\_\_\_\_  
Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
Email: \_\_\_\_\_

## ORDER INFORMATION

Purchase Order: \_\_\_\_\_  
Order Date: \_\_\_\_\_ Quote Date: \_\_\_\_\_  
FCI Representative: \_\_\_\_\_  
Payment Terms: \_\_\_\_\_  
CREDIT CARD (CHECK ONE)  Visa  MasterCard Exp. Date: \_\_\_\_\_  
Card Number: \_\_\_\_\_  
Name On Card: \_\_\_\_\_  
Signature: \_\_\_\_\_

## SHIPPING INSTRUCTIONS

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_  
Province/State: \_\_\_\_\_  
Postal/Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_  
Federal ID/SS#: \_\_\_\_\_

## PRIVACY POLICY

Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website [www.freedomconcepts.com](http://www.freedomconcepts.com) or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.

## TERMS AND CONDITIONS

Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.

\_\_\_\_\_  
CUSTOMER SIGNATURE

## PHOTO RELEASE

I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties.  YES  NO

I would like to receive regular updates.  SNAIL MAIL  EMAIL  NO

\_\_\_\_\_  
SIGNATURE OF RIDER/PARENT



CREATING A **CYCLE** OF *mobility*