# 2018 Evaluation Form

# DCP 12

## Inseam Range: 13" - 21"

**Designed for kids aged 4-8, the DCP 12 allows children to get out and join their friends as they grow up and learn to cycle together. This bike provides excellent stability and fits through standard door openings, making it a popular choice in schools and therapy settings. It is designed with adjustability in mind, allowing the bike to grow with your child, ensuring you get as many years of enjoyment out of the bike as possible.**

Freedom Concepts Inc.

CREATING A CYCLE OF mobility

## DCP 12 SE SPORT EDITION

■ *Indicates Features/Options Required to Create the RSSED Setup:*

- ■ Standard DCP12 Frame
- ■ REC Drive
- ■ Rain and Sun Canopy
- ■ 12" Smooth Solid Tires
- ■ Child Seat Base
- ■ Neoprene Footplates
- ■ ABS Plastic Chainguard
- ■ Hoop Handlebars
- ■ 3" Crank Arm
- ■ Rear Steering
- ■ Jogging Extension Handle
- ■ Adjustable/Removable Headrest
- ■ 12" Steel Wheels
- ■ Child High Back Seat
- ■ Medium Chest Harness
- ■ Adjustable/Removable Headrest
- ■ Front Caliper Brake
- ■ 2.5 Bottom Bracket Position

## DCP 12 MODEL SPECIFICATIONS

| | 12 | 12WG | 12WGX |
|---|---|---|---|
| Rider Age | 4-8 | 4-8 | 4-8 |
| Max Load (lbs) | 125 | 125 | 125 |
| Bike Weight (lbs) | 45 | 45 | 45 |
| Frame Height (without seat) | 21" | 21" | 21" |
| Total Length *Rear Steering adds 12" | 43"* | 43"* | 50"* |
| Bike Width | 29" | 33" | 33" |

**Sizing Guide:** Inseam 13" - 21"



# DCP 12

AGE: 4-8 YEARS  INSEAM: 13"-21"

## RIDER INFORMATION

**Rider's Name:** _____

☐ Male ☐ Female

Date of Birth: MONTH _____ /DAY _____ /YEAR

Diagnosis: _____

Weight: _____LBS. _____KGS.  Height: _____INCHES _____CM

**Inseam:** _____

**HIGHLIGHTED ITEMS INCLUDED IN FRAME CHOICE PRICE**

## FRAME/MODEL CHOICE

| | | |
|---|---|---|
| ☐ | **DCP 12** | |
| ☐ | DCP 12 Wide Glide (DCP 12 WG) | |
| ☐ | DCP 12 Wide Glide Extended (DCP 12 WGX) | |
| ☐ | Removable Rear Platform | |
| ☐ | Custom Frame | *(call for price)* |

## REAR STEERING

| | | |
|---|---|---|
| ☐ | A. Rear Steering Assistance Handle | |
| ☐ | B. Adjustable Jogging Extension Handle | |

## COLOR CHOICE

*Please Note Extra Delivery Time for Non-Standard & Custom Colors*

| | | |
|---|---|---|
| ☐ **Candy Blue** ☐ **Hot Rod Purple** | | (STD) |
| **Decal Type:** ☐ **Male** ☐ **Female** | | (STD) |
| ☐ Metallic Orange ☐ Red ☐ Yellow ☐ Pink | | |
| Other Custom Color _____ | | |

**TOTAL LENGTH: DCP12:** 43″ **DCP12 WG:** 43″ **DCP12 WGX:** 50″
**TOTAL WIDTH: DCP12:** 29″ **DCP12 WG:** 33″ **DCP12 WGX:** 29″

## PROPULSION

| | | |
|---|---|---|
| ☐ | **Direct Drive** ***(when the bike is in motion, the pedals are also in motion)*** | (STD) |
| ☐ | Free Wheel - ***(NOT AVAILABLE WHEN EASY PEDAL POWER SELECTED)*** | |
| ☐ | Free Wheel/Direct Drive Reciprocator | |
| ☐ | *TEC Drive - ***(EASY, AVERAGE, CHALLENGING GEARING)*** | |
| ☐ | *REC Drive - ***(EASY, AVERAGE, OFF GEARING)*** | |
| | *TEC & REC SHIFTER LOCATION: ☐ Right Handlebar ☐ Rear Steer | |

## PEDAL POWER

*For Single Speed Bikes Only*

| | | |
|---|---|---|
| ☐ | ☐ **Easy** (STD) ☐ Average (N/C) ☐ Challenging (N/C) | |

## CRANK ARM LENGTHS - RANGE OF MOTION

| | | |
|---|---|---|
| ☐ | **3″ Alloy Crank** | (STD) |
| ☐ | 4″ Alloy Crank | (N/C) |
| ☐ | 5″ Alloy Crank | (N/C) |
| ☐ | Crank Arm Length Shortener *(reduces length by 1/2″)* | |

## BOTTOM BRACKET POSITION

| | | |
|---|---|---|
| ☐ | ☐ **2.5″ Bottom Bracket Position** | (STD) |
| ☐ | Custom _____INCHES _____CM | |

***C. If Custom Bottom Bracket is required***, specify the position of the bottom bracket in relation to the seat post.

## CHAIN GUARD

| | | |
|---|---|---|
| ☐ | **Heavy Duty Steel Chain Guard** | (STD) |
| ☐ | ABS Enclosed Chain Guard - ***(NOT AVAILABLE WITH TEC OR REC DRIVES)*** | |

## BRAKE OPTIONS AND POSITION

| | | | |
|---|---|---|---|
| ☐ | **Front Caliper Brake** ***(PLEASE SPECIFY 1ST LEVER POSITION)*** | | (STD) |
| | **Lever Position** | **1st Lever** (STD) | ***2nd Lever (Front Brake)** |
| | Left Handlebar | ☐ | ☐ |
| | Right Handlebar | ☐ | ☐ |
| | Rear Steering | ☐ | ☐ |
| | T-Bar | ☐ | ☐ |
| ☐ | *Secondary Brake Lever *(connects to front Caliper brake)* | | |

## PARKING BRAKE

| | | |
|---|---|---|
| ☐ | **Parking Brake** - ***(MOUNTS ON REAR RIGHT-HAND SIDE WHEEL)*** | (STD) |
| ☐ | Second Parking Brake - ***(MOUNTS ON REAR LEFT-HAND SIDE WHEEL)*** | |

## WHEELS AND TIRES

| | | |
|---|---|---|
| ☐ | **12″ Steel Wheels** | (STD) |
| ☐ | Spoke Covers - ***(SET OF THREE)*** | |
| ☐ | **12″ Smooth Solid Tires** | (STD) |
| ☐ | Pneumatic Tires: ☐ Knobby ☐ Smooth | |

PAGE SUB-TOTAL _____

## HANDLEBARS

| | | |
|---|---|---|
| ☐ | ☐ **Unlocked Steering** (STD) ☐ Locked Steering (N/C) | |
| ☐ | **Hoop Handlebars** | (STD) |
| ☐ | High Rise Handlebars | (N/C) |
| ☐ | Enclosed Hoop Handlebars | |
| ☐ | Bar End Extensions | |
| ☐ | Nameplate with Decal - Please Specify_____ | |

## PEDALS

*Please Attach Foot Tracing if Possible*

| | | |
|---|---|---|
| ☐ | **D. Mountain Pedals with Toe Cage** | (STD) |
| ☐ | E. Neoprene Adjustable Footplates ☐ SML ☐ MED ☐ L | |
| ☐ | F. Molded ABS Footplates ☐ SML ☐ MED ☐ L | |
| ☐ | G. Molded ABS Footplates with Ratcheting Straps ☐ S ☐ M ☐ L | |
| ☐ | 0.25" Footplate Spacers Quantity_____ Pedal_____ | |
| ☐ | Pulley: ☐ Front ***(corrects plantar flexion)*** ☐ Rear ***(self leveling pedals)*** | |

## FRONT FORK

| | | |
|---|---|---|
| ☐ | **Chrome Fork** | (STD) |
| ☐ | H. Adjustable Tilt Fork | |

**Adjustable Tilt Fork**
Add or reduce tilt with the attached ratchet. Over 6" of adjustment range, translating to a variable 10° tilt.

## ACCESSORIES

| | | |
|---|---|---|
| ☐ | Velcro Hand-Eye Coordination Gloves ☐ XS ☐ SML ☐ MED ☐ LRG | |
| ☐ | Indoor Stationary Trainer- ***(ALLOWS FOR BIKE TO BE RIDDEN INDOORS)*** | |
| ☐ | iPad/Tablet Holder | |
| ☐ | Cane/Crutch Holder | |
| ☐ | Oxygen Tank Holder (Specify Tank Size_____) | |
| ☐ | Communication Tray | |
| ☐ | Simulated Sheepskin Seat Cover ☐ Child ☐ Adult | |
| ☐ | Bike Cover | |
| ☐ | Tool Pouch | |

## ABDUCTION/ADDUCTION

| | | |
|---|---|---|
| ☐ | Abductor Leg Braces ***(require Molded ABS Footplates)***<br>Size: ☐ SML ☐ MED ☐ LRG Side: ☐ Left ☐ Right ☐ Both | |
| ☐ | Abductor Positioning Wedge ***(removable leg devider)*** | |
| ☐ | Padded Leg Adduction Strap | |

**COMMENTS/NOTES/CUSTOMIZATIONS:**

## SEAT BASE

| | | |
|---|---|---|
| ☐ | **Hip Belt 2" Wide** | (STD) |
| ☐ | **Child Seat (12.5" width, 12.5" depth)** | (STD) |
| ☐ | Child Narrow ***(1" NARROWER SEAT NOSE)*** | |
| ☐ | Adult Seat (16.75" width, 14" depth) ***(ONLY AVAILABLE ON WG/WGX MODELS)*** | |
| ☐ | Adult Narrow ***(ONLY AVAILABLE ON WG/WGX MODELS)*** | |
| ☐ | 2" Raised Pommel - ***(ADDED TO SEAT SELECTION)*** | |
| ☐ | Neoprene Hip Stabilizer Belt ***(REPLACES STANDARD HIP BELT)*** | |
| ☐ | Custom Seat Base<br>Seat Depth:_____ Seat Width:_____ | *(call for price)* |

## BACK REST

| | | |
|---|---|---|
| ☐ | **Chest Strap** - ***(ONLY AVAILABLE ON HIGH BACK SEATING)*** | (STD) |
| ☐ | Child High Back (13" width, 18" height) | |
| ☐ | Child Low Back (13" width, 7.5" height) | (N/C) |
| ☐ | I. Neoprene Chest Harness ☐ MED ☐ LRG ☐ XL | |
| ☐ | ☐ Tilt Back Rest ☐ Recline Back Rest | |
| ☐ | J. Lateral Support Bracket *(comes complete with track)* ☐ SML ☐ LRG<br>**PLEASE NOTE:** *Includes Custom Seat Back. 2 Required for Set.*<br>Chest Width:_____ Seat-to-Armpit:_____<br>☐ **ADD:** Tool-Free Height & Width Adjustment for Lateral Track | |
| ☐ | ☐ Adult Low Back ☐ Adult High Back | |
| ☐ | Custom Seat Back<br>Seat Height:_____ Seat Width:_____ | *(call for price)* |

## HEAD RESTS

| | | |
|---|---|---|
| ☐ | K. Adjustable/Removable Headrest<br>**PLEASE NOTE:** *Required for addition of Adjustable Rain and Sun Shade Canopy* | |
| ☐ | L. Adjustable Velcro Occiput Support Cushion<br>**PLEASE NOTE:** *Includes Adjustable/Removable Headrest Option* | |
| ☐ | M. i2i Head and Neck Support System - With Support Bracket<br>**PLEASE SPECIFY Neck Circumference:**_____ | |
| ☐ | Headpod Support System - With Support Bracket<br>**PLEASE NOTE:** *Includes Adjustable/Removable Headrest Option* | |
| ☐ | N. Adjustable Rain and Sun Shade Canopy<br>**PLEASE NOTE:** *Requires the Adjustable/Removable Headrest* | |
| ☐ | Custom - Custom Mount of Head Support Bracket<br>Height:_____ Width:_____ | *(call for price)*<br>*(template req)* |

PAGE SUB-TOTAL

| | |
|---|---|
| **SUB-TOTAL** | |
| | |
| | |
| Fully Assembled Freight (boxed) | |
| Residential Delivery | |
| Tax 1 | |
| Tax 2 | |
| Other | |
| **TOTAL:** | |

## CUSTOMER INFORMATION

Dealer/Vendor: _____

Contact Person: _____

Address: _____

City: _____ Prov./State: _____

Postal/Zip Code: _____ Ordered by: _____

Phone: _____ Fax: _____

Email: _____

## PRIVACY POLICY

Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website www.freedomconcepts.com or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.

## ORDER INFORMATION

Purchase Order: _____

Order Date: _____ Quote Date: _____

FCI Representative: _____

Payment Terms: _____

CREDIT CARD (CHECK ONE) ❑ Visa ❑ MasterCard Exp. Date: _____

Card Number: _____

Name On Card: _____

Signature: _____

## TERMS AND CONDITIONS

Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.

_____

CUSTOMER SIGNATURE

## SHIPPING INSTRUCTIONS

Name: _____

Address: _____

City: _____

Province/State: _____

Postal/Zip Code: _____ Phone: _____

Federal ID/SS#: _____

## PHOTO RELEASE

I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties. ❑ YES ❑ NO

I would like to receive regular updates. ❑ SNAIL MAIL ❑ EMAIL ❑ NO

_____

SIGNATURE OF RIDER/PARENT

CREATING A CYCLE OF mobility™