


# 2018 Evaluation Form

## DCP 16

Inseam Range: 19" - 26"

The DCP 16 is our original model! Today, it's the bike kids want for its awesome design, fun colors, and smooth ride. It is small enough for an average 7-year-old, but adaptable to fit most kids in their early teens, making it an ideal choice for children expecting a growth spurt. Riding the DCP 16 is a great opportunity for kids to feel the independence they crave as they enter their teens and leave their childhood behind.

*More than Freedom, Discovery lets individuals create their own sense of cool.*



Works for 80% of our Riders!

Special Education Setup  
**RSSSED**




### DCP 16 RSSSED REAR STEER SPECIAL EDUCATION

- Indicates Features/Options Required to Create the RSSSED Setup:
- Standard DCP16 Frame
  - Direct Drive
  - Chrome Fork
  - 16" Smooth Solid Tires
  - Child Seat Base
  - Molded ABS Plastic Footplates
  - ABS Enclosed Chainguard
  - Hoop Handlebars
  - 4" Crank Arm
  - Rear Steering
  - Easy Pedal Power
  - Adjustable/Removable Headrest
  - 16" Aluminum Wheels
  - Child High Back Seat
  - Medium Chest Harness
  - 2" Chest and Hip Belts
  - Front Caliper Brake
  - 3" Bottom Bracket Position

DCP 16 MODEL SPECIFICATIONS			
	16	16WG	16WGX
Rider Age	7-14	7-14	7-14
Max Load (lbs)	150	225	225
Bike Weight (lbs)	50	50	50
Frame Height (without seat)	26"	26"	26"
Total Length *Rear Steering adds 12"	50"*	50"*	59"*
Bike Width	29"	33"	33"

Sizing Guide: Inseam 19" - 26"





# DCP 16

AGE: 7-14 YEARS INSEAM: 19"-26"

## RIDER INFORMATION

Rider's Name: \_\_\_\_\_  
 Male  Female  
 Date of Birth: MONTH \_\_\_\_\_ /DAY \_\_\_\_\_ /YEAR \_\_\_\_\_  
 Diagnosis: \_\_\_\_\_  
 Weight: \_\_\_\_\_LBS. \_\_\_\_\_KGS. Height: \_\_\_\_\_INCHES \_\_\_\_\_CM  
 Inseam: \_\_\_\_\_

## HIGHLIGHTED ITEMS INCLUDED IN FRAME CHOICE PRICE

FRAME/MODEL CHOICE	
<input type="checkbox"/> DCP 16	
<input type="checkbox"/> DCP 16 Wide Glide (DCP 16 WG)	
<input type="checkbox"/> DCP 16 Wide Glide Extended (DCP 16 WGX)	
<input type="checkbox"/> Removable Rear Platform	
<input type="checkbox"/> Custom Frame	(call for price)

## REAR STEERING

A. Rear Steering Assistance Handle  
 B. Adjustable Jogging Extension Handle



## COLOR CHOICE Please Note Extra Delivery Time for Non-Standard & Custom Colors

Candy Blue  Hot Rod Purple (STD)  
 Decal Type:  Male  Female (STD)  
 Metallic Orange  Red  Yellow  Pink  
 Other Custom Color \_\_\_\_\_



**Shown with:** ABS Enclosed Chainguard, Rear Steering, Spoke Covers, Molded ABS Footplates, Chest Harness, other STD features.

TOTAL LENGTH: DCP16: 50" DCP16 WG: 50" DCP16 WGX: 59"  
 TOTAL WIDTH: DCP16: 29" DCP16 WG: 33" DCP16 WGX: 29"

### PROPULSION

<input type="checkbox"/> Direct Drive (when the bike is in motion, the pedals are also in motion)	(STD)
<input type="checkbox"/> Free Wheel - (NOT AVAILABLE WHEN EASY PEDAL POWER SELECTED)	
<input type="checkbox"/> Free Wheel/Direct Drive Reciproicator	
<input type="checkbox"/> *TEC Drive - (EASY, AVERAGE, CHALLENGING GEARING)	
<input type="checkbox"/> *REC Drive - (EASY, AVERAGE, OFF GEARING)	
*TEC & REC SHIFTER LOCATION: <input type="checkbox"/> Right Handlebar <input type="checkbox"/> Rear Steer	

### PEDAL POWER For Single Speed Bikes Only

<input type="checkbox"/> Easy (STD)	<input type="checkbox"/> Average (N/c)	<input type="checkbox"/> Challenging (N/c)
-------------------------------------	--	--

### CRANK ARM LENGTHS - RANGE OF MOTION

<input type="checkbox"/> 3" Alloy Crank	(N/c)
<input type="checkbox"/> 4" Alloy Crank	(STD)
<input type="checkbox"/> 5" Alloy Crank	(N/c)
<input type="checkbox"/> Crank Arm Length Shortener (reduces length by 1/2")	

### BOTTOM BRACKET POSITION

<input type="checkbox"/> 3" Bottom Bracket Position	(STD)
<input type="checkbox"/> Custom _____INCHES _____CM	

**C. If Custom Bottom Bracket is required,** specify the position of the bottom bracket in relation to the seat post.

### PEDALS Please Attach Foot Tracing if Possible

<input type="checkbox"/> D. Mountain Pedals with Toe Cage	(STD)
<input type="checkbox"/> E. Neoprene Adjustable Footplates <input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> L	
<input type="checkbox"/> F. Molded ABS Footplates <input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> L	
<input type="checkbox"/> G. Molded ABS Footplates with Ratcheting Straps <input type="checkbox"/> S <input type="checkbox"/> M <input type="checkbox"/> L	
<input type="checkbox"/> 0.25" Footplate Spacers Quantity _____ Pedal _____	
<input type="checkbox"/> Pulley: <input type="checkbox"/> Front (corrects plantar flexion) <input type="checkbox"/> Rear (self leveling pedals)	

### BRAKE OPTIONS AND POSITION

Lever Position	1st Lever (STD)	*2nd Lever (Front Brake)
<input type="checkbox"/> Front Caliper Brake (PLEASE SPECIFY 1ST LEVER POSITION)		(STD)
Left Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Right Handlebar	<input type="checkbox"/>	<input type="checkbox"/>
Rear Steering	<input type="checkbox"/>	<input type="checkbox"/>
T-Bar	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> *Secondary Brake Lever (connects to front Caliper brake)		

### PARKING BRAKE

<input type="checkbox"/> Parking Brake - (MOUNTS ON REAR RIGHT-HAND SIDE WHEEL)	(STD)
<input type="checkbox"/> Second Parking Brake - (MOUNTS ON REAR LEFT-HAND SIDE WHEEL)	

PAGE SUB-TOTAL \_\_\_\_\_




WHEELS AND TIRES		
<input type="checkbox"/>	16" Aluminum Wheels	(STD)
<input type="checkbox"/>	Spoke Covers - (SET OF THREE)	
<input type="checkbox"/>	16" Smooth Solid Tires	(STD)
<input type="checkbox"/>	Pneumatic Tires: <input type="checkbox"/> Knobby <input type="checkbox"/> Smooth	

CHAIN GUARD		
<input type="checkbox"/>	Heavy Duty Steel Chain Guard	(STD)
<input type="checkbox"/>	ABS Enclosed Chain Guard - (NOT AVAILABLE WITH TEC OR REC DRIVES)	

HANDLEBARS		
<input type="checkbox"/>	<input type="checkbox"/> Unlocked Steering (STD) <input type="checkbox"/> Locked Steering (N/C)	
<input type="checkbox"/>	Hoop Handlebars	(STD)
<input type="checkbox"/>	High Rise Handlebars	(N/C)
<input type="checkbox"/>	Enclosed Hoop Handlebars	
<input type="checkbox"/>	Bar End Extensions	
<input type="checkbox"/>	Nameplate with Decal - Please Specify _____	

FRONT FORK		
<input type="checkbox"/>	Chrome Fork	(STD)
<input type="checkbox"/>	H. Adjustable Tilt Fork	



**Adjustable Tilt Fork**  
Add or reduce tilt with the attached ratchet. Over 6" of adjustment range, translating to a variable 10° tilt.

ACCESSORIES		
<input type="checkbox"/>	Velcro Hand-Eye Coordination Gloves <input type="checkbox"/> XS <input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> LRG	
<input type="checkbox"/>	Indoor Stationary Trainer- (ALLOWS FOR BIKE TO BE RIDDEN INDOORS)	
<input type="checkbox"/>	iPad/Tablet Holder	
<input type="checkbox"/>	Cane/Crutch Holder	
<input type="checkbox"/>	Oxygen Tank Holder (Specify Tank Size _____)	
<input type="checkbox"/>	Communication Tray	
<input type="checkbox"/>	Simulated Sheepskin Seat Cover <input type="checkbox"/> Child <input type="checkbox"/> Adult	
<input type="checkbox"/>	Bike Cover	
<input type="checkbox"/>	Tool Pouch	

ABDUCTION/ADDUCTION		
<input type="checkbox"/>	Abductor Leg Braces (require Molded ABS Footplates) Size: <input type="checkbox"/> SML <input type="checkbox"/> MED <input type="checkbox"/> LRG Side: <input type="checkbox"/> Left <input type="checkbox"/> Right <input type="checkbox"/> Both	
<input type="checkbox"/>	Abductor Positioning Wedge (removable leg divider)	
<input type="checkbox"/>	Padded Leg Adduction Strap	

**COMMENTS/NOTES/CUSTOMIZATIONS:**

SEAT BASE		
<input type="checkbox"/>	Hip Belt 2" Wide	(STD)
<input type="checkbox"/>	Child Seat (12.5" width, 12.5" depth)	(STD)
<input type="checkbox"/>	Child Narrow (1" narrower seat nose)	
<input type="checkbox"/>	Adult Seat (16.75" width, 14" depth) (ONLY AVAILABLE ON WG/WGX MODELS)	
<input type="checkbox"/>	Adult Narrow (ONLY AVAILABLE ON WG/WGX MODELS)	
<input type="checkbox"/>	2" Raised Pommel - (ADDED TO SEAT SELECTION)	
<input type="checkbox"/>	Neoprene Hip Stabilizer Belt (REPLACES STANDARD HIP BELT)	
<input type="checkbox"/>	Custom Seat Base Seat Depth: _____ Seat Width: _____	(call for price)

BACK REST		
<input type="checkbox"/>	Chest Strap - (ONLY AVAILABLE ON HIGH BACK SEATING)	(STD)
<input type="checkbox"/>	Child High Back (13" width, 18" height)	
<input type="checkbox"/>	Child Low Back (13" width, 7.5" height)	(STD)
<input type="checkbox"/>	I. Neoprene Chest Harness <input type="checkbox"/> MED <input type="checkbox"/> LRG <input type="checkbox"/> XL	
<input type="checkbox"/>	<input type="checkbox"/> Tilt Back Rest <input type="checkbox"/> Recline Back Rest	
<input type="checkbox"/>	J. Lateral Support Bracket (comes complete with track) <input type="checkbox"/> SML <input type="checkbox"/> LRG <b>PLEASE NOTE:</b> Includes Custom Seat Back. 2 Required for Set. Chest Width: _____ Seat-to-Armpit: _____ <input type="checkbox"/> ADD: Tool-Free Height & Width Adjustment for Lateral Track	
<input type="checkbox"/>	<input type="checkbox"/> Adult Low Back <input type="checkbox"/> Adult High Back	
<input type="checkbox"/>	Custom Seat Back Seat Height: _____ Seat Width: _____	(call for price)



HEAD RESTS		
<input type="checkbox"/>	K. Adjustable/Removable Headrest <b>PLEASE NOTE:</b> Required for addition of Adjustable Rain and Sun Shade Canopy	
<input type="checkbox"/>	L. Adjustable Velcro Occiput Support Cushion <b>PLEASE NOTE:</b> Includes Adjustable/Removable Headrest Option	
<input type="checkbox"/>	M. i2i Head and Neck Support System - With Support Bracket <b>PLEASE SPECIFY Neck Circumference:</b> _____	
<input type="checkbox"/>	Headpod Support System - With Support Bracket <b>PLEASE NOTE:</b> Includes Adjustable/Removable Headrest Option	
<input type="checkbox"/>	N. Adjustable Rain and Sun Shade Canopy <b>PLEASE NOTE:</b> Requires the Adjustable/Removable Headrest	
<input type="checkbox"/>	Custom - Custom Mount of Head Support Bracket Height: _____ Width: _____	(call for price) (template req)



**PAGE SUB-TOTAL**

SUB-TOTAL	
	Fully Assembled Freight (boxed)
	Residential Delivery
	Tax 1
	Tax 2
	Other
	<b>TOTAL:</b>

## CUSTOMER INFORMATION

Dealer/Vendor: \_\_\_\_\_  
Contact Person: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_ Prov./State: \_\_\_\_\_  
Postal/Zip Code: \_\_\_\_\_ Ordered by: \_\_\_\_\_  
Phone: \_\_\_\_\_ Fax: \_\_\_\_\_  
Email: \_\_\_\_\_

## ORDER INFORMATION

Purchase Order: \_\_\_\_\_  
Order Date: \_\_\_\_\_ Quote Date: \_\_\_\_\_  
FCI Representative: \_\_\_\_\_  
Payment Terms: \_\_\_\_\_  
CREDIT CARD (CHECK ONE)  Visa  MasterCard Exp. Date: \_\_\_\_\_  
Card Number: \_\_\_\_\_  
Name On Card: \_\_\_\_\_  
Signature: \_\_\_\_\_

## SHIPPING INSTRUCTIONS

Name: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_  
Province/State: \_\_\_\_\_  
Postal/Zip Code: \_\_\_\_\_ Phone: \_\_\_\_\_  
Federal ID/SS#: \_\_\_\_\_

## PRIVACY POLICY

Freedom Concepts Inc. collects, uses and discloses personal information of the Customer and/or Rider to properly assemble and manufacture the mobility device and may contact the Rider's therapist for additional personal information to assist with this process. The collection, use and disclosure of the personal information of the Customer and/or the Rider is governed by any consent which may, from time to time, be provided, and by the Freedom Concepts Inc. Privacy Policy which is available on our website [www.freedomconcepts.com](http://www.freedomconcepts.com) or by contacting our office. By signing below, you hereby warrant that you have the authority to bind the Rider and hereby authorize the collection, use, and disclosure of personal information as herein provided and in accordance with the Freedom Concepts Inc. Privacy Policy.

## TERMS AND CONDITIONS

Prices are subject to change without notice. Prepaid or net 30 days O.A.C. All taxes extra. Freight extra. Manufacturer reserves the right to change prices, colors, features, dates, locations and products without notice. Residential delivery charge may apply. Duty and brokerage included where applicable.

\_\_\_\_\_  
CUSTOMER SIGNATURE

## PHOTO RELEASE

I hereby give permission to Freedom Concepts Inc. to use photographs of me or my child for the sole purpose of the company's promotional use, and will not be distributed to third parties.  YES  NO

I would like to receive regular updates.  SNAIL MAIL  EMAIL  NO

\_\_\_\_\_  
SIGNATURE OF RIDER/PARENT



CREATING A **CYCLE** OF *mobility*<sup>™</sup>